



ADITYA ENGINEERING COLLEGE (A)

Aditya Nagar, ADB Road, Surampalem

Department of Information Technology

Cryptography and Network Security

Name of the Faculty: Dr. M. Vamsi Krishna, Professor, Department of IT

Subject: Cryptography and Network Security

Year & Semester: IV - I

Topic: Principles of Public Key Cryptography

Conventional Methods: Chalk & Talk

Teaching Methodology: Brain Storming

In Cryptography and Network Security, Principles of Public Key Cryptography is an important topic. Many have taught the topic using chalk and talk, by providing video animation of how the algorithm works. Dr. M. Vamsi Krishna has taught the principles of Public Key Cryptography by using brainstorming, where students build on or develop higher order thinking skills. Brainstorming encourages students to think creatively (out of the box), like how public key encryption algorithm works internally, what math needed for public key encryption etc.

References:

1. <https://www.geeksforgeeks.org/public-key-encryption/>
2. <https://youtu.be/c9dG59sEoHI>

Principles of Public Key Cryptography:

The concept of public key cryptography evolved from an attempt to attack two of the most difficult problems associated with symmetric encryption.

- Key distribution under symmetric key encryption requires either (1) that two communicants already share a key, which someone has been distributed to them or (2) the use of a key distribution center.
- Digital signatures.

1. Public key cryptosystems

Public key algorithms rely on one key for encryption and a different but related key for decryption.

These algorithms have the following important characteristics:

- It is computationally infeasible to determine the decryption key given only the knowledge of the cryptographic algorithm and the encryption key.

In addition, some algorithms, such as RSA, also exhibit the following characteristic:

- Either of the two related keys can be used for encryption, with the other used for decryption.

The essential steps are the following:

- Each user generates a pair of keys to be used for encryption and decryption of messages.
- Each user places one of the two keys in a public register or other accessible file. This is the public key. The companion key is kept private.
- If A wishes to send a confidential message to B, A encrypts the message using B's public key.
- When B receives the message, it decrypts using its private key. No other recipient can decrypt the message because only B knows B's private key.

With this approach, all participants have access to public keys and private keys are generated locally by each participant and therefore, need not be distributed. As long as a system controls its private key, its incoming communication is secure.

Let the plaintext be $X=[X_1, X_2, X_3, \dots, X_m]$ where m is the number of letters in some finite alphabets. Suppose A wishes to send a message to B. B generates a pair of keys: a public key KU_b and a private key KR_b . KR_b is known only to B, whereas KU_b is publicly available and therefore accessible by A.

With the message X and encryption key KU_b as input, A forms the cipher text

$$Y=[Y_1, Y_2, Y_3, \dots, Y_n], \text{ i.e., } Y=E_{KU_b}(X)$$

The receiver can decrypt it using the private key KR_b . i.e., $X=D KR_b()$. The encrypted message serves as a **digital signature**.

It is important to emphasize that the encryption process just described does not provide confidentiality. There is no protection of confidentiality because any observer can decrypt the message by using the sender's public key.

It is however, possible to provide both the authentication and confidentiality by a double use of the public scheme.




Fig.2.7.1.1 Public Key Cryptosystem

$$\text{Ciphertext } Z = EKU_b [EKR_a (X)]$$

$$\text{Plaintext } X = EKU_a [EKR_b (Y)]$$

Initially, the message is encrypted using the sender's private key. This provides the digital signature. Next, we encrypt again, using the receiver's public key. The final ciphertext can be decrypted only by the intended receiver, who alone has the matching private key. Thus confidentiality is provided.

2 Requirements for public key cryptography

It is computationally easy for a party B to generate a pair $[KU_b, KR_b]$.

It is computationally easy for a sender A, knowing the public key and the message to be encrypted M , to generate the corresponding ciphertext: $C=EKU_b(M)$.

It is computationally easy for the receiver B to decrypt the resulting ciphertext using the private key to recover the original message: $M = DKR_b (C) = DKR_b [EKU_b (M)]$

It is computationally infeasible for an opponent, knowing the public key KU_b , to determine the private key KR_b .

It is computationally infeasible for an opponent, knowing the public key KU_b , and a ciphertext C , to recover the original message M .

The encryption and decryption functions can be applied in either order: $M = E_{KU_b} [D_{KR_b} (M)] = D_{KU_b} [E_{KR_b} (M)]$

Public key cryptanalysis

Public key encryption scheme is vulnerable to a brute force attack. The counter measure is to use large keys.

Principles of Public Key Cryptography using brainstorming:



Principles of Public Key Cryptography method was explained to students through brainstorming. In Brainstorming method, students discussed about the public key cryptography principles by forming groups as shown in the figure. The students share knowledge to solve problems using Public Key Cryptography, in which students are encouraged to think without

interruption. This is a group activity where each student shares their ideas as soon as they come to mind. Through brainstorming, students can discuss and gain in depth knowledge about public key cryptography principles.